
XCarb®
Recycled and renewably produced
CORINTH PIPEWORKS
Member of CENERGY HOLDINGS
ArcelorMittal
Presented to: Corinth Pipeworks
10,000 Tonnes of physical low CO_2 emissions steel
with footprint < 0,75 t CO_2e/tonne HRC
GWP-total acc. to EN15804+A2
XCarb®
recycled and
renewably produced

arb®

ycled and renewably
luced

o 75%
r CO_2 footprint

ainably
e in Europe

ArcelorMitta

ro steel

/sustainability/xcarb/

XCarb®
Recycled and renewably produced

CORINTH PIPEWORKS
Member of CENERGY HOLDINGS

ArcelorMittal

Presented to: Corinth Pipeworks
10,000 Tonnes of physical low CO_2 emissions steel
with footprint < 0,75 t CO_2e/tonne HRC
GWP-total acc. to EN15804+A2

100% renewable electricity

Minimum 95% scrap

EAF steelmaking process | Electric Arc Furnace (EAF) | Ladle furnace | Continuous casting | Rolling mill | Delivery to customer

XCarb® slab production At ArcelorMittal Industeel Charleroi | Clean fuel transport (HVO and/or biofuel) | Hot rolling at ArcelorMittal Fos-sur-mer

XCarb®
recycled and
renewably produced



